

Acetic Anhydride  
BAKER ANALYZED® A.C.S. Reagent



Material No.: 0018-01  
Batch No.: 0000037998  
Manufactured Date: 2012/05/22  
Retest Date: 2017/05/21

## Certificate of Analysis

Meets ACS Reagent Chemical Requirements,

Test	Specification	Result
Assay ((CH <sub>3</sub> CO) <sub>2</sub> O)	>= 98 %	100
Color (APHA)	<= 10	<5
Residue after Evaporation	<= 0.0020 %	< 0.0010
Substances Reducing Permanganate	Passes Test	PT
Chloride (Cl)	<= 3 ppm	<1
Phosphate (PO <sub>4</sub> )	<= 5 ppm	< 3
ACS - Sulfate (SO <sub>4</sub> )	<= 5 ppm	<1
Heavy Metals (as Pb)	<= 2 ppm	<1
Trace Impurities - Iron (Fe)	<= 5 ppm	<1

For Laboratory, Research or Manufacturing Use  
Appearance (clear, colorless, volatile liquid)  
Meets Reagent Specifications for testing USP/NF monographs

Country of Origin: US  
Packaging Site: Paris Mfg Ctr & DC



Phillipsburg, NJ 9001:2008, 14001:2004  
Paris, KY 9001:2008  
Mexico City, Mexico 9001:2008  
Deventer, The Netherlands 9001:2008, 14001:2004, 13485:2003  
Gliwice, Poland 9001:2008, 17025:2005  
Selangor, Malaysia 9001:2008  
Dehradun, India, 9001:2008, 14001:2004, 13485:2003  
Mumbai, India, 9001:2008, 17025:2005  
Panoli, India 9001:2008

Richard M Siberski  
Global Director of Quality Assurance

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.573.2600  
Avantor™ Performance Materials Inc.

3477 Corporate Parkway, Suite #200, Center Valley, PA 18034, U.S.A. Phone: 610.573.2600 . Fax: 610.573.2610