

Acetic Anhydride
BAKER ANALYZED® A.C.S. Reagent



Material No.: 0018-01
Batch No.: 0000173318
Manufactured Date: 2017/02/01
Retest Date: 2024/01/31

Certificate of Analysis

Meets ACS Reagent Chemical Requirements,

Test	Specification	Result
Assay ((CH ₃ CO) ₂ O)	>= 98 %	100
Color (APHA)	<= 10	5
Residue after Evaporation	<= 0.0020 %	0.0008
Substances Reducing Permanganate	Passes Test	PT
Chloride (Cl)	<= 3 ppm	< 3
Phosphate (PO ₄)	<= 5 ppm	< 3
ACS – Sulfate (SO ₄)	<= 5 ppm	< 3
Heavy Metals (as Pb)	<= 2 ppm	< 1
Trace Impurities – Iron (Fe)	<= 5 ppm	< 3

For Laboratory, Research or Manufacturing Use
Appearance (clear, colorless, volatile liquid)
Meets Reagent Specifications for testing USP/NF monographs

Country of Origin: US
Packaging Site: Phillipsburg Mfg Ctr & DC



Phillipsburg, NJ 9001:2008, 14001:2004, FSSC 22000
Paris, KY 9001:2008
Mexico City, Mexico 9001:2008
Deventer, The Netherlands 9001:2008, 14001:2004, 13485:2003
Gliwice, Poland 9001:2008, 13485:2012
Selangor, Malaysia 9001:2008
Dehradun, India, 9001:2008, 14001:2004, 13485:2003
Mumbai, India, 9001:2008
Panoli, India 9001:2008


Jamie Ethier
Vice President Global Quality

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.573.2600
Avantor Performance Materials, LLC.

3477 Corporate Parkway. Center Valley, PA 18034. U.S.A. Phone: 610.573.2600 . Fax: 610.573.2610