

# SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended 2015/830.

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Product name:** 2-Propanol  
**Product No.** 3412, 8067, 8119, 8235, 9095, 8468, 5863, 6775, 3043, 7065, 5873

#### Additional identification

**Chemical name:** Isopropyl alcohol  
**Chemical formula:** C<sub>3</sub>H<sub>8</sub>O  
**INDEX No.** 603-117-00-0  
**CAS-No.** 67-63-0  
**EC No.** 200-661-7  
**REACH Registration No.** 01-2119457558-25-XXXX

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses:** For Laboratory, Research or Manufacturing Use.

**Uses advised against:** Not determined.

### 1.3 Details of the supplier of the safety data sheet

Avantor Performance Materials Poland S.A.  
Sowinskiego 11str., 44-101 Gliwice,  
Poland

**Telephone:** 48 32 239-20-00  
**Fax:** 48 32 239-23-70

**Contact Person:** Product Information Compliance  
**E-mail:** export@avantormaterials.com

E-mail address of person responsible for this SDS: SDS@avantormaterials.com

### 1.4 Emergency telephone number: Chemtrec local numbers

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

The product has been classified according to the legislation in force.

**Classification according to Regulation (EC) No 1272/2008 as amended.**

#### Physical Hazards

Flammable liquids Category 2 H225: Highly flammable liquid and vapor.

#### Health Hazards

Serious eye irritation Category 2 H319: Causes serious eye irritation.

Specific Target Organ Toxicity - Single Exposure Category 3 H336: May cause drowsiness or dizziness.

### 2.2 Label Elements

**Contains:** Isopropyl alcohol



**Signal Word:** Danger

**Hazard Statement(s):** H225: Highly flammable liquid and vapor.  
H319: Causes serious eye irritation.  
H336: May cause drowsiness or dizziness.

**Target Organs:**  
Isopropyl alcohol narcotic effects

**Precautionary Statements**

**Prevention:** P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233: Keep container tightly closed.  
P261: Avoid breathing dust/fume/gas/mist/vapors/spray.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.

**Response:** P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P312: Call a POISON CENTER/doctor if you feel unwell.  
P337+P313: If eye irritation persists: Get medical advice/attention.

**Storage:** P403+P233: Store in a well-ventilated place. Keep container tightly closed.

**2.3 Other hazards** No data available.

**SECTION 3: Composition/information on ingredients**

**3.1 Substances**

Chemical name	Concentration	CAS-No.	EC No.	REACH Registration No.	M-Factor:	Notes
Isopropyl alcohol	50 - <100%	67-63-0	200-661-7	01-2119457558-25-XXXX	No data available.	#

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

# This substance has workplace exposure limit(s).

**SECTION 4: First aid measures**

**General:** Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in attendance.

**4.1 Description of first aid measures**

**Inhalation:** Move to fresh air. Get medical attention if symptoms persist.

<b>Skin Contact:</b>	Wash skin thoroughly with soap and water. Get medical attention if symptoms occur. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse.
<b>Eye contact:</b>	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.
<b>Ingestion:</b>	Call a physician or poison control center immediately. Rinse mouth. Do NOT induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
<b>4.2 Most important symptoms and effects, both acute and delayed:</b>	Harmful if swallowed. Narcotic effect. Irritating to eyes, respiratory system and skin.
<b>4.3 Indication of any immediate medical attention and special treatment needed</b>	
<b>Hazards:</b>	No data available.
<b>Treatment:</b>	Treat symptomatically. Symptoms may be delayed.

## SECTION 5: Firefighting measures

<b>General Fire Hazards:</b>	Flammable liquid and vapor.
<b>5.1 Extinguishing media Suitable extinguishing media:</b>	Water spray, foam, dry powder or carbon dioxide.
<b>Unsuitable extinguishing media:</b>	Avoid water in straight hose stream; will scatter and spread fire.
<b>5.2 Special hazards arising from the substance or mixture:</b>	Vapors may cause a flash fire or ignite explosively. Vapors may travel considerable distance to a source of ignition and flash back. Prevent buildup of vapors or gases to explosive concentrations. Vapor from the solvent may accumulate in container headspace resulting in flammability hazard. Heat may cause the containers to explode.
<b>5.3 Advice for firefighters Special fire fighting procedures:</b>	Use water spray to keep fire-exposed containers cool. Water may be ineffective in fighting the fire. Fight fire from a protected location. Move containers from fire area if you can do so without risk.
<b>Special protective equipment for fire-fighters:</b>	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

## SECTION 6: Accidental release measures

<b>6.1 Personal precautions, protective equipment and emergency procedures:</b>	ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep unauthorized personnel away. Keep upwind. Use personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Avoid breathing mists or vapors. Ventilate closed spaces before entering them. See Section 8 of the SDS for Personal Protective Equipment.
<b>6.2 Environmental Precautions:</b>	Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.

**6.3 Methods and material for containment and cleaning up:**

In case of leakage, eliminate all ignition sources. Use non-sparking tools. Take precautionary measures against static discharges. Stop leak if possible without any risk. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger spill for later recovery and disposal.

**6.4 Reference to other sections:**

No data available.

**SECTION 7: Handling and storage:**
**7.1 Precautions for safe handling:**

Do not handle until all safety precautions have been read and understood. DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Take precautionary measures against static discharges. Ground and bond container and receiving equipment. Use explosion-proof [electrical/ventilating/lighting] equipment. Use non-sparking tools. Wear protective gloves/protective clothing/eye protection/face protection. Avoid contact with eyes, skin, and clothing. Wash hands thoroughly after handling. Use only with adequate ventilation. Do not breathe mist or vapor.

**7.2 Conditions for safe storage, including any incompatibilities:**

Keep away from food, drink and animal feeding stuffs. Keep container tightly closed in a cool, well-ventilated place. Ground container and transfer equipment to eliminate static electric sparks. Comply with all national, state, and local codes pertaining to the storage, handling, dispensing, and disposal of flammable liquids.

**7.3 Specific end use(s):**

No data available.

**SECTION 8: Exposure controls/personal protection**
**8.1 Control Parameters**
**Occupational Exposure Limits**

Chemical name	Type	Exposure Limit Values	Source
Isopropyl alcohol	NDSch	1.200 mg/m <sup>3</sup>	Poland. Maximum permissible concentrations and intensities of harmful factors in the work environment (Dz.U.Poz. 1286/2018, Annex 1) (07 2010)
	NDS	900 mg/m <sup>3</sup>	Poland. Maximum permissible concentrations and intensities of harmful factors in the work environment (Dz.U.Poz. 1286/2018, Annex 1) (07 2010)

**DNEL-Values**

Critical component	Type	Route of Exposure	Health Warnings	Remarks
Isopropyl alcohol	General population	Oral	Systemic, long-term; 500 mg/m <sup>3</sup> 26 mg/kg bw/day	Repeated dose toxicity

**PNEC-Values**

Critical component	Environmental compartment	PNEC-Values
Isopropyl alcohol	Sediment (freshwater)	552 mg/kg
	Aquatic (freshwater)	140,9 mg/l
	Aquatic (marine water)	140,9 mg/l
	Soil	28 mg/kg
	Sediment (marine water)	552 mg/kg
	Predator	160 mg/kg

**8.2 Exposure controls**

**Appropriate Engineering Controls:** No special requirements under ordinary conditions of use and with adequate ventilation.

**Individual protection measures, such as personal protective equipment**

**General information:** Use explosion-proof ventilation equipment. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If exposure limits have not been established, maintain airborne levels to an acceptable level.

**Eye/face protection:** Wear safety glasses with side shields (or goggles).

**Skin protection**

**Hand Protection:** Material: Chemical resistant gloves

**Other:** Wear suitable protective clothing.

**Respiratory Protection:** If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Chemical respirator with organic vapor cartridge.

**Hygiene measures:** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Provide eyewash station and safety shower. Avoid contact with eyes, skin, and clothing.

**Environmental Controls:** No data available.

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

**Appearance**

<b>Physical state:</b>	Liquid
<b>Form:</b>	Liquid
<b>Color:</b>	Colorless
<b>Odor:</b>	Alcohol
<b>Odor Threshold:</b>	No data available.
<b>pH:</b>	No data available.
<b>Freezing point:</b>	-88,5 °C
<b>Boiling Point:</b>	82,5 °C (101,3 kPa)
<b>Flash Point:</b>	12 °C (Closed Cup)
<b>Evaporation Rate:</b>	21 (ether=1) 1,7 (n-butyl acetate=1)
<b>Flammability (solid, gas):</b>	Class IB Flammable Liquid
<b>Flammability limit - upper (%)</b>	12 %(V)
<b>Flammability limit - lower (%)</b>	2,5 %(V)
<b>Vapor pressure:</b>	6,053 kPa (25 °C) 44 hPa (20 °C)
<b>Vapor density (air=1):</b>	2,1 (Air=1)
<b>Density:</b>	0,79 g/ml (20 °C)

<b>Relative density:</b>	0,79 (20 °C)
<b>Solubility(ies)</b>	
<b>Solubility in Water:</b>	Miscible
<b>Solubility (other):</b>	benzene: Soluble chloroform: Miscible
<b>Partition coefficient (n-octanol/water):</b>	0,05
<b>Autoignition Temperature:</b>	399 °C
<b>Decomposition Temperature:</b>	No data available.
<b>Viscosity:</b>	No data available.
<b>Explosive properties:</b>	No data available.
<b>Oxidizing properties:</b>	No data available.

## 9.2 Other information

<b>Molecular weight:</b>	60,1 g/mol (C3H8O)
<b>VOC Content:</b>	EC Directive 2004/42: 790 g/l ~100 % (calculated)
<b>Minimum ignition energy:</b>	0,65 mJ

## SECTION 10: Stability and reactivity

<b>10.1 Reactivity:</b>	No data available.
<b>10.2 Chemical Stability:</b>	Material is stable under normal conditions.
<b>10.3 Possibility of hazardous reactions:</b>	Hazardous polymerization does not occur.
<b>10.4 Conditions to avoid:</b>	Heat, sparks, flames. Sunlight.
<b>10.5 Incompatible Materials:</b>	Strong oxidizing agents. Acids. Isocyanates. Hydrogen peroxide (H2O2) Sulfuric acid. Acetaldehyde. Acetylene. Chlorine. Aluminum. Ethylene Oxide
<b>10.6 Hazardous Decomposition Products:</b>	Thermal decomposition may release oxides of carbon.

## SECTION 11: Toxicological information

### Information on likely routes of exposure

<b>Inhalation:</b>	None known or expected under normal use.
<b>Skin Contact:</b>	None known or expected under normal use.
<b>Eye contact:</b>	Causes serious eye irritation.
<b>Ingestion:</b>	No adverse effects due to ingestion are expected.

### 11.1 Information on toxicological effects

#### Acute toxicity

##### Oral

<b>Product:</b>	LD 50 (Rat): 5.045 - 5.840 mg/kg
-----------------	----------------------------------

##### Dermal

<b>Product:</b>	LD 50 (Rabbit) 12.800 mg/kg
-----------------	-----------------------------

##### Inhalation

<b>Product:</b>	LC 50 (Rat, 6 h): > 10000 ppm LOAEL (Rat, 6 h): 5000 ppm
<b>Repeated dose toxicity</b>	
<b>Product:</b>	No data available.
<b>Skin Corrosion/Irritation:</b>	
<b>Product:</b>	Prolonged or repeated skin contact may cause drying, cracking, or irritation.
<b>Serious Eye Damage/Eye Irritation:</b>	
<b>Product:</b>	Causes serious eye irritation.
<b>Respiratory or Skin Sensitization:</b>	
<b>Product:</b>	Not a skin nor a respiratory sensitizer.
<b>Germ Cell Mutagenicity</b>	
<b>In vitro</b>	
<b>Product:</b>	No mutagenic components identified
<b>In vivo</b>	
<b>Product:</b>	No mutagenic components identified
<b>Carcinogenicity</b>	
<b>Product:</b>	This substance has no evidence of carcinogenic properties.
<b>Reproductive toxicity</b>	
<b>Product:</b>	No components toxic to reproduction
<b>Specific Target Organ Toxicity - Single Exposure</b>	
<b>Product:</b>	No data available.
<b>Specific Target Organ Toxicity - Repeated Exposure</b>	
<b>Product:</b>	None known.
<b>Target Organs:</b>	
Isopropyl alcohol	narcotic effects
<b>Aspiration Hazard</b>	
<b>Product:</b>	Not classified
<b>Other adverse effects:</b>	None known.

**SECTION 12: Ecological information**

**12.1 Toxicity**

**Acute toxicity**

**Fish**

**Product:** LC 50 (Western mosquitofish (*Gambusia affinis*), 96 h): > 1.400 mg/l

**Specified substance(s)**

Isopropyl alcohol  
LC 50 (Fathead minnow (*Pimephales promelas*), 96 h): 5.770 - 11.130 mg/l  
LC 50 (Harlequinfish, red rasbora (*Rasbora heteromorpha*), 96 h): 4.200 mg/l  
LC 50 (Bluegill (*Lepomis macrochirus*), 96 h): > 1.400 mg/l

LC 50 (Western mosquitofish (*Gambusia affinis*), 96 h): > 1.400 mg/l

**Aquatic Invertebrates**

**Product:**

LC 50 (Water flea (*Daphnia magna*), 24 h): 10.000 mg/l

**Specified substance(s)**

Isopropyl alcohol

EC 50 (*Daphnia magna*, 24 h): 9.714 mg/l

LC 50 (Common shrimp, sand shrimp (*Crangon crangon*), 48 h): 900 - 1.950 mg/l

**Chronic Toxicity**

**Fish**

**Product:**

No data available.

**Specified substance(s)**

Isopropyl alcohol

No data available.

**Aquatic Invertebrates**

**Product:**

No data available.

**Specified substance(s)**

Isopropyl alcohol

No data available.

**Toxicity to Aquatic Plants**

**Product:**

No data available.

**Specified substance(s)**

Isopropyl alcohol

No data available.

**12.2 Persistence and Degradability**

**Biodegradation**

**Product:**

Expected to be readily biodegradable.

**Specified substance(s)**

Isopropyl alcohol

No data available.

**BOD/COD Ratio**

**Product**

No data available.

**Specified substance(s)**

Isopropyl alcohol

No data available.

**12.3 Bioaccumulative potential**

**Product:**

No data available on bioaccumulation.

**Specified substance(s)**

Isopropyl alcohol

No data available.

**12.4 Mobility in soil:**

The product is partly soluble in water. May spread in the aquatic environment.

**Known or predicted distribution to environmental compartments**

Isopropyl alcohol

No data available.

**12.5 Results of PBT and vPvB assessment:**

Isopropyl alcohol

Not available.

No data available.

**12.6 Other adverse effects:**

The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.



**12.7 Additional Information:** No data available.

<b>SECTION 13: Disposal considerations</b>
--

**13.1 Waste treatment methods**

**General information:** No data available.

**Disposal methods:** Discharge, treatment, or disposal may be subject to national, state, or local laws.

<b>SECTION 14: Transport information</b>
--

**ADR**

14.1 UN Number: UN 1219  
 14.2 UN Proper Shipping Name: ISOPROPANOL  
 14.3 Transport Hazard Class(es)  
     Class: 3  
     Label(s): 3  
     Hazard No. (ADR): 33  
     Tunnel restriction code: (D/E)  
 14.4 Packing Group: II  
 14.5 Environmental Hazards: No  
 14.6 Special precautions for user: Not determined.

**RID**

14.1 UN Number: UN 1219  
 14.2 UN Proper Shipping Name: ISOPROPANOL  
 14.3 Transport Hazard Class(es)  
     Class: 3  
     Label(s): 3  
 14.4 Packing Group: II  
 14.5 Environmental Hazards: No  
 14.6 Special precautions for user: Not determined.

**IMDG**

14.1 UN Number: UN 1219  
 14.2 UN Proper Shipping Name: ISOPROPANOL  
 14.3 Transport Hazard Class(es)  
     Class: 3  
     Label(s): 3  
     EmS No.: F-E, S-D  
 14.4 Packing Group: II  
 14.5 Environmental Hazards: No  
 14.6 Special precautions for user: Not determined.

## IATA

14.1 UN Number: UN 1219  
 14.2 Proper Shipping Name: Isopropanol  
 14.3 Transport Hazard Class(es):  
     Class: 3  
     Label(s): 3  
 14.4 Packing Group: II  
 14.5 Environmental Hazards: No  
 14.6 Special precautions for user: Not determined.

**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:** Not applicable

## SECTION 15: Regulatory information

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:**

### EU Regulations

**Regulation (EC) No. 2037/2000 Substances that deplete the ozone layer:** none

**Regulation (EC) No. 850/2004 on persistent organic pollutants:** none

**Regulation (EC) No. 689/2008 Import and export of dangerous chemicals:** none

**Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended:** none

**Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use:**

Chemical name	CAS-No.	Concentration
Isopropyl alcohol	67-63-0	100%

**Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens and mutagens at work.:** none

**Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breast feeding.:** none

**Directive 2012/18/EU (Seveso III): on the control of major accident hazards involving dangerous substances:**

Chemical name	CAS-No.	Concentration
Isopropyl alcohol	67-63-0	100%

**EU. Regulation No. 166/2006 PRTR (Pollutant Release and Transfer Registry), Annex II: Pollutants:** none

**Directive 98/24/EC on the protection of workers from the risks related to chemical agents at work:**

Chemical name	CAS-No.	Concentration
Isopropyl alcohol	67-63-0	100%

### National Regulations

Regulation (EC) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Regulation of the Minister of Economy and Labour social dated 31 March 2003. on essential requirements for personal protective equipment (Dz.U.03.80.725) of the amended Regulation of the Minister of Economy, Labour and social Policy of 21 December 2005 on essential requirements for personal protective equipment ( Dz.U.05.259.2173)  
Regulation of the Minister of the Environment of 9 December 2014. on waste (OJ 2014 pos. 1923)  
Regulation of the Minister of Labour and Social Policy of 6 June 2014. on maximum allowable concentrations and intensity of harmful factors in the work environment (OJ 2014 pos. 817), as amended  
Regulation of the Minister of health on 2 February 2011. on tests and measurements of health hazard factors in the work environment (Dz.U.2011 pos. 166)  
Ordinance of the Minister of Health of 30 December 2004. On occupational health and safety relating the presence of chemical agents (Dz.U.05.11.86), as amended.  
Regulation of the Minister of Health of 20 April 2012. On the labeling of chemical substances and mixtures, and certain mixtures (OJ 2012 pos. 445)  
The Act of 14 December 2012. On waste. (OJ 2013 pos. 21)  
The Act of 13 June 2013. On packaging and packaging waste (OJ 2013 pos. 888)  
The Act of 25 February 2011. On chemical substances and their mixtures (Journal .u. 2011 No. 63, item. 322)

**15.2 Chemical safety assessment:**

No Chemical Safety Assessment has been carried out.

**SECTION 16: Other information**

**Revision Information:**

Not relevant.

**References**

PBT  
vPvB

PBT: persistent, bioaccumulative and toxic substance.  
vPvB: very persistent and very bioaccumulative substance.

**Key literature references and sources for data:**

Sources of information used in preparing this SDS included one or more of the following: results from in house or supplier toxicology studies, information from the Toxicology Data Network (TOXNET), European Chemical Agency (ECHA) substance dossiers, IARC Monographs, US National Toxicology Program data, the Agency for Toxic Substances and Disease Registry, other manufacturer's SDSs and other sources, as appropriate.

**Wording of the H-statements in section 2 and 3**

H225 Highly flammable liquid and vapor.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.

**Training information:**

No data available.

**Issue Date:**

26.08.2019

**SDS No.:**

**Disclaimer:**

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR PERFORMANCE MATERIALS ("AVANTOR") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of Avantor's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR DISCLAIMS LIABILITY FOR, AND BY USING AVANTOR'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL AVANTOR BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.