

**SAFETY DATA SHEET**

**1. Identification**

**GHS Product identifier:** Isopropyl Alcohol

**Other means of identification**

**Product No.:** 0562, 3031, 3032, 3043, 3590, 3591, 3593, 8288, 9037, 9080, H604, U298, V555, V566, 13483, 33312  
**Common name(s), synonym(s):** 2-Propanol

**Recommended use of the chemical and restrictions on use**

**Recommended use:** For Laboratory, Research or Manufacturing Use.  
**Recommended restrictions:** Not determined.

**Supplier's details**

**Company Name:** Avantor Performance Materials, LLC  
**Address:** 100 Matsonford Rd, Suite 200  
 Radnor, PA 19087  
**Telephone:** Customer Service: 855-282-6867  
**Fax:**  
**Contact Person:** Product Information Compliance  
**E-mail:** info@avantormaterials.com

**Emergency telephone number:** CHEMTREC: (55)-2139581449 (24/7)

**2. Hazard identification**

**Classification of the substance or mixture:**

**Physical Hazards**

Flammable liquids Category 2

**Health Hazards**

Serious Eye Damage/Eye Irritation Category 2A  
 Specific Target Organ Toxicity - Single Exposure Category 3  
 Aspiration Hazard Category 2

**GHS label elements, including precautionary statements:**

**Hazard Symbol:**



**Signal Word** Danger

**Hazard Statement:** Highly flammable liquid and vapor.  
 Causes serious eye irritation.  
 May cause drowsiness or dizziness.  
 May be harmful if swallowed and enters airways.

**Precautionary Statements**

<b>Prevention:</b>	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof [electrical/ventilating/lighting] equipment. Use non-sparking tools. Take action to prevent static discharges. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/eye protection/face protection.
<b>Response:</b>	IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention. In case of fire: Use water spray, foam, dry powder or carbon dioxide for extinction.
<b>Storage:</b>	Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up.
<b>Disposal:</b>	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

**Other hazards which do not result in classification:** Static accumulating flammable liquid can become electrostatically charged even in bonded and grounded equipment.

**3. Composition/information on ingredients**

**Substances**

Chemical Identity	Common name and synonyms	CAS number	Concentration*
Isopropyl alcohol	, 2-Propanol	67-63-0	100%

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**4. First-aid measures**

**General information:** Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in attendance.

**Description of necessary first-aid measures**

**Ingestion:** Call a physician or poison control center immediately. Rinse mouth. Do NOT induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

**Inhalation:** Move to fresh air. Get medical attention if symptoms persist.

**Skin Contact:** Wash skin thoroughly with soap and water. Get medical attention if symptoms occur. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse.

**Eye contact:** Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.

**Notes to the physician**

**Most important symptoms/effects, acute and delayed**

**Symptoms:** Harmful if swallowed. Narcotic effect. Irritating to eyes, respiratory system and skin.

**Indication of immediate medical attention and special treatment needed**

**Treatment:** Treat symptomatically. Symptoms may be delayed.

**5. Fire-fighting measures**

**General Fire Hazards:** Flammable liquid and vapor.

**Suitable (and unsuitable) extinguishing media**

**Suitable extinguishing media:** Water spray, foam, dry powder or carbon dioxide.

**Unsuitable extinguishing media:** Avoid water in straight hose stream; will scatter and spread fire.

**Specific hazards arising from the chemical:** Vapors may cause a flash fire or ignite explosively. Vapors may travel considerable distance to a source of ignition and flash back. Prevent buildup of vapors or gases to explosive concentrations. Vapor from the solvent may accumulate in container headspace resulting in flammability hazard. Heat may cause the containers to explode.

**Special protective action for fire fighters**

**Special fire fighting procedures:** Use water spray to keep fire-exposed containers cool. Water may be ineffective in fighting the fire. Fight fire from a protected location. Move containers from fire area if you can do so without risk.

**Special protective equipment for fire-fighters:** Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

**6. Accidental release measures**

**Personal precautions, protective equipment and emergency procedures:** ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep unauthorized personnel away. Keep upwind. Use personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Avoid breathing mists or vapors. Ventilate closed spaces before entering them. See Section 8 of the SDS for Personal Protective Equipment.

**Environmental Precautions:** Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.

**Methods and material for containment and cleaning up:** In case of leakage, eliminate all ignition sources. Use non-sparking tools. Take precautionary measures against static discharges. Stop leak if possible without any risk. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger spill for later recovery and disposal.

**Notification Procedures:** Prevent entry into waterways, sewer, basements or confined areas. Inform authorities if large amounts are involved.

**7. Handling and storage**

**Precautions for safe handling** Do not handle until all safety precautions have been read and understood. DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Take precautionary measures against static discharges. Ground and bond container and receiving equipment. Use explosion-proof [electrical/ventilating/lighting] equipment. Use non-sparking tools. Wear protective gloves/protective clothing/eye protection/face protection. Avoid contact with eyes, skin, and clothing. Wash hands thoroughly after handling. Use only with adequate ventilation. Do not breathe mist or vapor.

**Conditions for safe storage, including any incompatibilities:** Keep away from food, drink and animal feeding stuffs. Keep container tightly closed in a cool, well-ventilated place. Ground container and transfer equipment to eliminate static electric sparks. Comply with all national, state, and local codes pertaining to the storage, handling, dispensing, and disposal of flammable liquids.

**8. Exposure controls/personal protection**

**Control Parameters**

**Occupational Exposure Limits**

Chemical Identity	Type	Exposure Limit Values	Source
Isopropyl alcohol	Time Weighted Average (TWA):	310 ppm      765 mg/m3	Brazil. OELs (Ordinance No. 3214, 6/8/78, NR-15, Annex 11 (amended through ACGIH)03 2013
Isopropyl alcohol	TWA	200 ppm	US. ACGIH Threshold Limit Values (2011)
	STEL	400 ppm	US. ACGIH Threshold Limit Values (2011)

**Biological Limit Values**

None of the components have assigned exposure limits.

**Appropriate Engineering Controls** No special requirements under ordinary conditions of use and with adequate ventilation.

**Individual protection measures, such as personal protective equipment**

**General information:** Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work area. Use explosion-proof ventilation equipment. If exposure limits have not been established, maintain airborne levels to an acceptable level.

**Eye/face protection:** Wear safety glasses with side shields (or goggles).

**Skin Protection**  
**Hand Protection:** Chemical resistant gloves

**Other:** Wear suitable protective clothing.

**Respiratory Protection:** If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Chemical respirator with organic vapor cartridge.

**Hygiene measures:** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Provide eyewash station and safety shower. Avoid contact with eyes, skin, and clothing.

## 9. Physical and chemical properties

### Appearance

**Physical state:** Liquid  
**Form:** Liquid  
**Color:** Colorless

**Odor:** Alcohol

**Odor threshold:** No data available.

**pH:** No data available.

**Melting point/freezing point:** -88.5 °C

**Initial boiling point and boiling range:** 82.3 - 82.5 °C

**Flash Point:** 12 °C (Closed Cup)

**Evaporation rate:** 21 (ether=1) 2.9 (n-butyl acetate=1)

**Flammability (solid, gas):** Class IB Flammable Liquid

### Upper/lower limit on flammability or explosive limits

**Flammability limit - upper (%):** 12 %(V)

**Flammability limit - lower (%):** 2.5 %(V)

**Explosive limit - upper (%):** No data available.

**Explosive limit - lower (%):** No data available.

**Vapor pressure:** 6.053 kPa (25 °C) 44 hPa (20 °C)

**Vapor density:** 2.1 (Air=1)

**Relative density:** 0.79 (20 °C)

### Solubility(ies)

**Solubility in water:** Miscible

**Solubility (other):** benzene: Soluble  
 chloroform: Miscible

**Partition coefficient (n-octanol/water):** 0.05

**Auto-ignition temperature:** 399 °C

**Decomposition temperature:** No data available.

**Viscosity:** 2.4 mm<sup>2</sup>/s (20 °C)

### Other information

**Liquid conductivity:** 35 µS/cm (25 °C)

**Minimum ignition energy:** 0.65 mJ

**Molecular weight:** 60.10 g/mol (C<sub>3</sub>H<sub>8</sub>O)

## 10. Stability and reactivity

**Reactivity:** No dangerous reaction known under conditions of normal use.

**Chemical Stability:** Material is stable under normal conditions.

<b>Possibility of hazardous reactions:</b>	Hazardous polymerization does not occur.
<b>Conditions to avoid:</b>	Heat, sparks, flames. Sunlight.
<b>Incompatible Materials:</b>	Strong oxidizing agents. Acids. Isocyanates. Hydrogen peroxide (H <sub>2</sub> O <sub>2</sub> ) Sulfuric acid. Acetaldehyde. Acetylene. Chlorine. Aluminum. Ethylene Oxide
<b>Hazardous Decomposition Products:</b>	Thermal decomposition may release oxides of carbon.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Ingestion:</b>	Irritating. May cause nausea, stomach pain and vomiting.
<b>Inhalation:</b>	May cause irritation to the mucous membranes and upper respiratory tract. May cause central nervous system effects.
<b>Skin Contact:</b>	Prolonged or repeated skin contact may cause drying, cracking, or irritation.
<b>Eye contact:</b>	Causes serious eye irritation.

### Information on toxicological effects

#### Acute toxicity (list all possible routes of exposure)

**Oral**  
**Product:** LD 50 (Rat): 5,045 - 5,840 mg/kg

**Dermal**  
**Product:** LD 50 (Rabbit): 12,800 mg/kg

**Inhalation**  
**Product:** LC 50 (Rat, 6 h): > 10000 ppm  
LOAEL (Rat, 6 h): 5000 ppm

**Repeated dose toxicity**  
**Product:** No data available.

**Skin Corrosion/Irritation**  
**Product:** Prolonged or repeated skin contact may cause drying, cracking, or irritation.

**Serious Eye Damage/Eye Irritation**  
**Product:** Causes serious eye irritation.

**Respiratory or Skin Sensitization**  
**Product:** Not a skin nor a respiratory sensitizer.

**Carcinogenicity**  
**Product:** This substance has no evidence of carcinogenic properties.

**IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:**  
No carcinogenic components identified

**ACGIH Carcinogen List:**  
No carcinogenic components identified

**Germ Cell Mutagenicity**

**In vitro**  
**Product:** No mutagenic components identified

**In vivo**  
**Product:** No mutagenic components identified

**Reproductive toxicity**

**Product:** No components toxic to reproduction

**Specific Target Organ Toxicity - Single Exposure**

**Product:** Central nervous system. - Narcotic effect.

**Specific Target Organ Toxicity - Repeated Exposure**

**Product:** None known.

**Aspiration Hazard**

**Product:** May be harmful if swallowed and enters airways.

**Other effects:** None known.

**12. Ecological information**

**Ecotoxicity:**

**Acute hazards to the aquatic environment**

**Fish**  
**Product:** LC 50 (Western mosquitofish (*Gambusia affinis*), 96 h): > 1,400 mg/l

**Aquatic Invertebrates**  
**Product:** LC 50 (Water flea (*Daphnia magna*), 24 h): 10,000 mg/l

**Chronic hazards to the aquatic environment**

**Fish**  
**Product:** No data available.

**Aquatic Invertebrates**  
**Product:** No data available.

**Toxicity to Aquatic Plants**  
**Product:** No data available.

**Persistence and Degradability**

**Biodegradation**  
**Product:** Expected to be readily biodegradable.

**BOD/COD Ratio**  
**Product:** No data available.

**Bioaccumulative potential**

**Bioconcentration Factor (BCF)**  
**Product:** No data available on bioaccumulation.

**Partition Coefficient n-octanol / water (log Kow)**  
**Product:** Log Kow: 0.05

**Mobility**

**Mobility in soil:** The product is partly soluble in water. May spread in the aquatic environment.

**Other adverse effects:** The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

### 13. Disposal considerations

#### Disposal methods

**Disposal instructions:** Discharge, treatment, or disposal may be subject to national, state, or local laws.

**Contaminated Packaging:** Since emptied containers retain product residue, follow label warnings even after container is emptied.

### 14. Transport information

#### ANTT

UN Number:	UN 1219
UN Proper Shipping Name:	ISOPROPANOL
Transport Hazard Class(es)	
Class:	3
Label(s):	3
Packing Group:	II
Environmental Hazards	
Marine Pollutant:	Not regulated.
Special precautions for user:	–

#### IATA

UN Number:	UN 1219
Proper Shipping Name:	Isopropanol
Transport Hazard Class(es):	
Class:	3
Label(s):	3
Packing Group:	II
Environmental Hazards	
Marine pollutant:	Not a Marine Pollutant
Special precautions for user:	–

#### ADR

UN Number:	UN 1219
UN Proper Shipping Name:	ISOPROPANOL
Transport Hazard Class(es)	
Class:	3
Label(s):	3
Packing Group:	II
Environmental Hazards	
Marine Pollutant:	Not a Marine Pollutant
Special precautions for user:	–



**RID**

UN Number:	UN 1219
Proper Shipping Name:	ISOPROPANOL
Transport Hazard Class(es):	
Class:	3
Label(s):	3
Packing Group:	II
Environmental Hazards	
Marine pollutant:	Not a Marine Pollutant
Special precautions for user:	–

**IMDG**

UN Number:	UN 1219
UN Proper Shipping Name:	ISOPROPANOL
Transport Hazard Class(es)	
Class:	3
Label(s):	3
EmS No.:	F-E, S-D
Packing Group:	II
Environmental Hazards	
Marine Pollutant:	Not a Marine Pollutant
Special precautions for user:	–

<b>15. Regulatory information</b>
-----------------------------------

**Safety, health and environmental regulations specific for the product in question**

**Brazil. Use and physiological efforts of chemical products (Decree No. 3665, Annex 3)**  
Not Regulated

**Brazil. Controlled products for the Army (Decree No. 3665, Annex I)**  
Not applicable

**Brazil. Drug precursors (Ordinance No. 1.274)**

**Brazil. Ozone depleting substances (Decree No. 99.280, Annexes A, B, C and E, as amended)**  
Not Regulated

**International regulations**

**Montreal protocol**  
Not applicable

**Stockholm convention**  
Not applicable

**Rotterdam convention**  
Not applicable

**Kyoto protocol**  
Not applicable

**Inventory Status:**

Australia AICS:	On or in compliance with the inventory
Canada DSL Inventory List:	On or in compliance with the inventory
EINECS, ELINCS or NLP:	On or in compliance with the inventory
Japan (ENCS) List:	On or in compliance with the inventory
China Inv. Existing Chemical Substances:	On or in compliance with the inventory
Korea Existing Chemicals Inv. (KECI):	On or in compliance with the inventory
Philippines PICCS:	On or in compliance with the inventory
US TSCA Inventory:	On or in compliance with the inventory
New Zealand Inventory of Chemicals:	On or in compliance with the inventory
Japan ISHL Listing:	On or in compliance with the inventory
Mexico INSQ:	On or in compliance with the inventory
Taiwan Chemical Substance Inventory:	On or in compliance with the inventory

<b>16. Other information, including date of preparation or last revision</b>
--

**Issue Date:** 02-25-2020

**Revision Date:** No data available.

**Version #:** 1.2

**Source of information:** Sources of information used in preparing this SDS included one or more of the following: results from in house or supplier toxicology studies, information from the Toxicology Data Network (TOXNET), European Chemical Agency (ECHA) substance dossiers, IARC Monographs, US National Toxicology Program data, the Agency for Toxic Substances and Disease Registry, other manufacturer's SDSs and other sources, as appropriate.

**Further Information:** No data available.

**Disclaimer:** The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR PERFORMANCE MATERIALS ("AVANTOR") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of Avantor's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR DISCLAIMS LIABILITY FOR, AND BY USING AVANTOR'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL AVANTOR BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.